

LIGHTING GUIDE 2023



YOUR FAMOUS 33BRANDS



A portion of your purchases goes to

FEEDING AMERICA FOOD BANKS

to provide food & essentials to the communities we serve in OH, PA and WV.

Learn more at bright33.com/giving-back/







HELP YOUR COMMUNITY.



We've partnered with & provide in-kind donations to

HABITAT FOR HUMANITY

to help families in your community build & improve places to call home.

Learn more at bright33.com/giving-back/







CONTENTS

6 **17** Transitional LED Fixtures LED 101 7 21 **NEW! Socket Fixtures Traditional LED Fixtures** 8 Utility LED Fixtures **Transitional Socket Fixtures** 24 10 29 **Traditional Socket Fixtures** Parts & Accessories 11 30 Warranty LED Lamps

12

Contemporary LED Fixtures



WHY CHOOSE BRIGHT33?

By using Bright33 lighting, homeowners can consume up to 80% less energy that lasts up to 25X* longer than traditional lighting types—meaning just one of our LED lamps can equal up to 25 incandescent light bulbs. LED lighting is also much cooler than incandescent lamps, which reduces heat and the risk of burnt fingertips! Whether you purchase an integrated LED fixture or a socket fixture with included LED lamps, our goal is to offer stylish, energy-efficient lighting options for any project.



Long Life. Bright33 lamps and integrated LED fixtures have an outstanding operational lifetime, allowing them to last for years* before needing a replacement.



Economical. Bright33 products can significantly reduce utility expenses, prevent future lamp replacements, and reduce maintenance costs.



Effective. Bright33 lamps turn on instantly and feature industry-leading color rendering (CRI). They are also ideal for outdoor operation under extreme temperatures and are resistant to shock and vibrations, making them a great lighting choice for rough conditions.



Environmental. Bright33 lamps do not contain mercury or any other hazardous substances, do not emit IR or ultraviolet radiation, and are 100% recyclable.

^{*}When used 3 hours/day.



What is LED?

A Light Emitting Diode (LED) is a semiconductor device that converts electricity into light. Most white light LEDs are coated with phosphors to change the color characteristics of the emitted light.

Color Rendering Index (CRI)

A measure of the correspondence between the color of an object and its appearance under a light source.





Dimming

The ability of a lamp to dim from 100% to 0% brightness by an electronic control. Many LED bulbs are incompatible with current dimmer switches or cannot dim within the full range. Look for this icon for dimmable products:



Lumens

The perceived brightness of a lamp or fixture is measured in lumens.



Light Appearance

The color that the lamp or fixture appears when on. Measured in Kelvin (K). Light appearances range from Soft White (2700K), Bright White (3000K), Cool White (4000K) or Daylight (5000K).









NEW!

SOCKET FIXTURES

Bright33 is evolving! We've combined the style of incandescent fixtures with the efficiency of our LED bulbs to offer a new line of products that utilize LED technology in the form of a screw-in bulb. The LED bulbs provided with the socket fixture are energy-efficient and have a comparable lifetime to our integrated LED fixtures.



2-Lamp Vanity Light



Features

- Wall mount, glass up or down
- (2) E26 Base
- (2) ST19 LED bulbs included
- · Clear seeded glass

Finishes

Brushed Nickel (BN)

Light Appearances











Finish	Dimensions (in)	Watts	Lumens	Model / ID No.	UPC
	12.5 x 5.5 x 4.375	_	_	B332VTSBN .3569890	8 10109 73630 0

3-Lamp Vanity Light



Features

- Wall mount, glass up or down
- (3) E26 Base
- (3) ST19 LED bulbs included
- · Clear seeded glass

Finishes

Brushed Nickel (BN)











Finish	Dimensions (in)	Watts	Lumens	Model / ID No.	UPC
	22 x 5.5 x 4.375	_	_	B333VTSBN .3569891	8 10109 73631 7



4-Lamp Vanity Light



Features

- Wall mount, glass up or down
- (4) E26 base
- (4) ST19 LED bulbs included
- · Clear seeded glass

Finishes



Light Appearances











Finish	Dimensions (in)	Watts	Lumens	Model / ID No.	UPC
	30 x 5.5 x 4.375	_	_	B334VTSBN .3569892	8 10109 73632 4

Indoor 5-Blade Ceiling Fan



Features

- · Painted white finish on blades
- Pull chain
- (2) E26 base
- (2) A19 LED bulbs included
- 6" Downrod included
- · Optional 4" rod and handheld remote sold separately

Finishes







Finish	Dimensions (in)	Watts	Lumens	Model / ID No.	UPC
	51.6 x 14.9	_	_	B33TSCF9W30WT	8 10109 73633 1

Globe Pendant



Features

- E26 base • (1) ST19 LED
- bulb included
- 53" Black cord included
- Seeded glass

Finishes

Brushed Nickel (BN)

Light Appearances

Bright White (3000K)









Finish	Dimensions (in)	Watts	Lumens	Model / ID No.	UPC
	12 x 66.75	_	_	B33TGPBN .3569896	8 10109 73636 2





A19



Features

· CRI 80+

· Lifetime: 10,000 hrs

 Frosted plastic • 200° Beam angle

Light Appearances

Soft White (2700K)





location warranty to the	LISTED					
Light Appearance	Watts	Replacement Watts	Lumens	Dimmable	Model / ID No.	UPC
	9	60	810	_	B33A199W27FRE26ND .3373674	8 57921 00567 2
	9	60	810	_	B33A199W30FRE26ND .3565182	8 10109 73573 0
	14	100	1450	Yes	B33A1914W30FRE26 .3441556	8 19030 02609 2
	9	60	810	_	B33A199W40FRE26ND .3424627	8 19030 02503 3



Integrated LED Flush Mount Fixture



Features

- · CRI 80+
- Ceiling mount accessories included • Lifetime: 50,000 hrs • Frosted acrylic lens

Mounting

Finishes

Brushed Nickel (BN)

Light Appearances

Bright White (3000K)









Finish	Dimensions (in)	Watts	Lumens	Model / ID No.	UPC
	12 x 3	15	1050	B3312CC15W30BN .3375588	8 57921 00594 8
	14 x 3	21	1400	B3314CC21W30BN .3375589	8 57921 00595 5
	16 x 4	24	1610	B3316CC24W30BN .3375591	8 57921 00596
	18 x 4	28	2000	B3318CC28W30BN .3375592	8 57921 00597

NEW! Linear LED Flush Mount Ceiling Fixture



Features

- CRI 80+
- · Ceiling mount
- Mounting · Lifetime: 50,000 hrs
 - accessories included Frosted acrylic lens

Finishes













F	inish	Dimensions (in)	Watts	Lumens	Model / ID No.	UPC
		48.25 x 10 x 3	35	3000	B33CLC35W30BN .3410123	8 10109 73578 5



Oval Integrated LED Fixture

- Mounting
- · Lifetime: 50,000 hrs

- · Ceiling mount
- accessories included Frosted acrylic lens



Finishes

Features

· CRI 80+

Brushed Nickel (BN) Light Appearances









Finish	Dimensions (in)	Watts	Lumens	Model / ID No.	UPC
	32.5 x 18 x 4.25	35	2600	B3332CO35W30BN .3375593	8 57921 00598 6

Integrated LED Vanity Light



Features

· CRI 80+

Mounting

• Wall mount

accessories included

• Lifetime: 50,000 hrs • Frosted acrylic lens



Brushed Nickel (BN)









Finish	Dimensions (in)	Watts	Lumens	Model / ID No.	UPC
	24 x 5.5 x 4.25	25	1680	B3324CVL25W30BN .3561935	8 10109 73196 1

NEW! 25" LED Vanity Light Bar

Features

- CRI 80+
- Mounting
- Lifetime: 50,000 hrs

Wall mount

accessories included • Frosted acrylic lens



Finishes

Brushed Nickel (BN)

Light Appearances

Bright White (3000K)









Finish	Dimensions (in)	Watts	Lumens	Model / ID No.	UPC
	24.75 x 4.5 x 4.75	20	1300	B33CVB20W30BN .3401799	8 10109 73575 4





LED Mini Pendant



Features

- · CRI 80+
- · Cord hung, adjustable length
- Lifetime: 50,000 hrs Ceiling mount
- Mounting accessories included

•	Opal	g	lass

Finishes

Brushed Nickel (BN) Light Appearances











Finish	Dimensions (in)	Watts	Lumens	Model / ID No.
	3.5 x 8	9	600	B33CP9W30BN .3391420



NEW! LED Wall Sconce



Features

- · CRI 80+ • Wall mount
- Mounting
- · Lifetime: 50,000 hrs
- accessories included Frosted acrylic lens

Finishes

Brushed Nickel (BN)











Finish	Dimensions (in)	Watts	Lumens	Model / ID No.	UPC
	7 x 10 x 3.25	15	800	B33CWS15W30BN .3405254	8 10109 73577 8

LED Half Moon Wall Sconce



Features

- · CRI 80+
- Wall mount
- Mounting
 - accessories included
- Lifetime: 50,000 hrs Frosted acrylic lens

Finishes

Brushed Nickel (BN)

Light Appearances











Finish	Dimensions (in)	Watts	Lumens	Model / ID No.	UPC
	12 x 6 x 4	12	840	B33CWS12W30BN .3375595	8 59287 000

Indoor LED Ceiling Fan



Features

- · CRI 80+
- Painted silver finish on blades
- 3-Speed motor
- Motor size: 251mm
- · Lifetime: 50,000 hrs
- 4" Downrod
 - included
- Mounting accessories includes
- · Pull chains
- · Frosted acrylic lens

Finishes











Finish	Dimensions (in)	Watts	Lumens	Model / ID No.	UPC
	50 x 10.5	17	1100	B33CF17W30BN .3391423	8 59287 00661 4



Slim Integrated LED Flush Mount Fixture



Features

- · CRI 80+
- Ceiling or wall mountLifetime: 50,000 hrs
- Frosted acrylic lens
- Mounting hardware included with optional o-ring for wet applications

Finishes

White (WT)



Brushed Nickel (BN) Light Appearances

Bright White (3000K)



Finish	Dimensions (in)	Watts	Lumens	Model / ID No.	UPC
	5.5 x 1.25	12	840	B335SF12W30WT .3388912	8 59287 00667 6
	7.7 x 1.25	15	950	B338SF15W30WT .3388647	8 59287 00664 5
	12 x 1.25	17	1100	B3312SF17W30WT .3388650	8 59287 00666
	5.5 x 1.25	12	840	B335SF12W30BN .3388911	8 59287 00668 3
	7.7 x 1.25	15	950	B338SF15W30BN .3388645	8 59287 00663 8
	12 x 1.25	17	1100	B3312SF17W30BN .3388651	8 59287 00665



NEW! Integrated LED Slim Disc Light



Features

· CRI 80+

· Lifetime: 50,000 hrs

- Mounting
- Frosted acrylic lens

- Ceiling mount
- accessories included · Sold individually Contractor grade
 - or in 24 pack

Finishes

White (WT)

Light Appearances











Finish	Dimensions (in)	Watts	Lumens	Model / ID No.	UPC
	7.5 x 0.875	15	1100	B338TSSD15W30WT .3577353	8 10109 73634 8

Integrated LED Flush Mount Fixture



Features

- · CRI 80+
- Mounting
- · Lifetime: 50,000 hrs
- Ceiling mount
- accessories included Frosted acrylic lens

Finishes















Finish	Dimensions (in)	Watts	Lumens	Model / ID No.	UPC
	12 x 3	15	1050	B3312TSC15W30BN .3375571	8 57921 00582
	14 x 3	23	1610	B3314TSC23W30BN .3375573	8 57921 00583
	16 x 4	28	2000	B3316TSC28W30BN .3375574	8 57921 00584 9



Slim Integrated LED Fixture with Retrofit Kit



Features

- · CRI 80+ · Lifetime: 50,000 hrs
- Frosted acrylic lens
- · E26 socket adapter
 - included for use on
 - recessed can

Finishes





Brushed Nickel (BN)













Finish	Dimensions (in)	Watts	Lumens	Model / ID No.	UPC
	5.5 x 1.25	12	840	B335SF12W30WTRK .3405123	8 19030 02025 0
	7.7 x 1.25	15	950	B338SF15W30WTRK .3405133	8 19030 02027 4
	5.5 x 1.25	12	840	B335SF12W30BNRK .3405131	8 19030 02026 7
	7.7 x 1.25	15	950	B338SF15W30BNRK .3405135	8 19030 02028

3-Lamp Integrated LED Vanity Light



Features

- · CRI 80+
- Wall mount, glass up or down
- Lifetime: 50,000 hrs
- Mounting accessories included

· Opal glass

Finishes











Finish	Dimensions (in)	Watts	Lumens	Model / ID No.	UPC
	24 x 7 x 6	25	1750	B333V25W30BN .3375598	8 59287 00602

4-Lamp Integrated LED Vanity Light



Features

- · CRI 80+
- Wall mount, glass up or down
- Lifetime: 50,000 hrs Opal glass
- Mounting
 - accessories included

Finishes

Brushed Nickel (BN)

Light Appearances







Finish	Dimensions (in)	Watts	Lumens	Model / ID No.	UPC
	30 x 7 x 6	30	2100	B334V30W30BN .3391427	8 59287 00669 0

NEW! 24" LED Vanity Light Bar



- · CRI 90+
- Lifetime: 50,000 hrs Mounting

- Wall mount
- Frosted acrylic lens
- accessories included



Finishes

Brushed Nickel (BN)











Finish	Dimensions (in)	Watts	Lumens	Model / ID No.	UPC
	24 x 3.25 x 4.25	14.5	1200	B33TSVB14W30BN 3461728	8 10109 73576 1



Integrated LED Flush Mount Fixture



Features

- · CRI 80+
- · Ceiling mount
- Mounting
- · Lifetime: 50,000 hrs
- accessories included · Alabaster glass

Finishes

White (WT)

Brushed Nickel (BN) Light Appearances

Bright White (3000K)



Finish	Dimensions (in)	Watts	Lumens	Model / ID No.	UPC
	11.25 x 4.5	15	1050	B3311CC15W30WT .3375576	8 57921 00585 6
	13 x 5.25	20	1400	B3313CC20W30WT .3375581	8 57921 00588 7
	15 x 5.75	23	1610	B3315CC23W30WT .3375584	8 57921 00591 7
	11.25 x 4.5	15	1050	B3311CC15W30BN .3375577	8 57921 00586
	13 x 5.25	20	1400	B3313CC20W30BN .3375582	8 57921 00589 4
	15 x 5.75	23	1610	B3315CC23W30BN .3375585	8 57921 00592 4

NEW! 3-Lamp LED Vanity Light



- · CRI 80+
- Wall mount, glass up or down
- Lifetime: 50,000 hrs Frosted glass
- Mounting accessories included

Brushed Nickel (BN) Bright White (3000K)



Finish	Dimensions (in)	Watts	Lumens	Model / ID No.	UPC
	19.25 x 8.75 x 7	25	2100	B33T3V25W30BN .3410127	8 10109 73399 6

NEW! Integrated LED Gooseneck Wall Sconce



Features

- · CRI 80+
- Wall mount · Lifetime: 50,000 hrs

• 120V AC input

- Mounting
- accessories included

Finishes

Matte Black (MB)

Light Appearances











Finish	Dimensions (in)	Watts	Lumens	Model / ID No.	UPC
	16 x 13.25 x 19.375	25	1750	B33TWS25W30MB .3569895	8 10109 73635 5

LED Outdoor Coach Light



Features

- · CRI 80+
- Wall mount
- 120V AC input
- Lifetime: 50,000 hrs Clear textured glass
- Mounting
- accessories included

Finishes











Finish	Dimensions (in)	Watts	Lumens	Model / ID No.	UPC
	6 x 12.5 x 7	12	600	B33CL12W30BK .3429920	8 19030 02567 5



LED Outdoor Lantern



Features

- · CRI 80+
- Wall mount
- 120V AC input
- Lifetime: 50,000 hrs Clear beveled glass
- Mounting
 - accessories included

Finishes



Light Appearances









Finish	Dimensions (in)	Watts	Lumens	Model / ID No.	UPC
	4.5 x 8.5 x 5.75	9	600	B338OL9W30BK .3391429	8 59287 00670 6
	4.5 x 11.25 x 5.75	9	600	B3311OL9W30BK .3391432	8 59287 00671 3

NEW! Integrated LED Outdoor Sconce



Features

- · CRI 80+
- Wall mount
- 120V AC input
- · Lifetime: 50,000 hrs
- Frosted glass
- Mounting
- accessories included

Finishes











Finish	Dimensions (in)	Watts	Lumens	Model / ID No.	UPC
	4.75 x 10.5 x 6.625	15	560	B33TOS15W30BK .3569897	8 10109 73637 9

NEW! LED Glass Flush Mount Ceiling Fixture



Features

- · CRI 80+
- 360° Beam angle
- Ceiling mount
- Pull chainMounting
- 120V AC input
- Lifetime: 50,000 hrs
- accessories included Opal glass

Finishes

Brushed Nickel (BN) **Light Appearances**

Bright White (3000K)



Finish	Dimensions (in)	Watts	Lumens	Model / ID No.	UPC
	4.9 x 7	9	500	B33UGFMPC9W30BN .3426206	8 10109 73580 8





Linkable LED Under Cabinet Light



Features

• CRI 90+

· On/off switch

· Lifetime: 50,000 hrs

Mounting accessories includedFrosted acrylic lens Hardwired to switch or plug-in to outlet

Finishes

White (WT)



Light Appearances

Bright White (3000K)



Finish	Dimensions (in)	Watts	Lumens	Model / ID No.	UPC
	12 x 3.5 x 1	8	400	B3312UCL8W30WT .3403665	8 59287 00649 1 2
	18 x 3.5 x 1	10	500	B3318UCL10W30WT .3403667	8 19030 02000
	24 x 3.5 x 1	11	600	B3324UCL11W30WT .3403668	8 19030 02001
	33 x 3.5 x 1	15	840	B3333UCL15W30WT .3403669	8 19030 02002
	42 x 3.5 x 1	22	1200	B3342UCL22W30WT .3403670	8 19030 02003
	12 x 3.5 x 1	8	400	B3312UCL8W30BR .3404080	8 19030 02004
	18 x 3.5 x 1	10	500	B3318UCL10W30BR .3404083	8 19030 02005
•	24 x 3.5 x 1	11	600	B3324UCL11W30BR .3404084	8 19030 02006
	33 x 3.5 x 1	15	840	B3333UCL15W30BR .3404085	8 19030 02007
	42 x 3.5 x 1	22	1200	B3342UCL22W30BR .3404086	8 19030 02008 3

48" LED Shop Light



Features

- · CRI 80+
- · Wall switch or pull chain
- · Cannot be hardwired
- Cord and plug included
- 120V AC input
- · Surface and suspension mounting hardware included

Finishes

(WT) White

Light Appearances







Finish	Dimensions (in)	Watts	Lumens	Model / ID No.	UPC
	48 x 6 x 1.4	42	3700	B3348SL42W40WT .3419384	8 59287 00698

LED Mini Outdoor Wall Pack



Features

- · CRI 80+
- Wall mount
- · Dusk to dawn photocell
- 120V AC input
- · Lifetime: 50,000 hrs
- Mounting accessories included
- Polycarbonate prismatic lens

Finishes













Finish	Dimensions (in)	Watts	Lumens	Model / ID No.	UPC
	6 x 10.5 x 4.5	15	1050	B33OSL15W50BK .3403672	8 19030 02009 0



NEW! LED Outdoor Wall Light with Photocell



Features

- · CRI 80+
- Wall mount
- Down light only
- Built-in dusk to dawn photocell
- 120V AC input
- · Lifetime: 50,000 hrs
- Mounting accessories included

Finishes

(BK)











Finish	Dimensions (in)	Watts	Lumens	Model / ID No.	UPC
•	4.5 x 5.5 x 8	15	1100	B33UOWL15W30BK .3426192	8 10109 73398 9



2 Head LED Outdoor Security Light



Features

- · CRI 80+
- Dusk to dawn photocell
- Adjustable heads
- 120V AC inputLifetime: 50,000 hrs
- Mounting

accessories included

Finishes

Bronze (BR) Light Appearances





Finish	Dimensions (in)	Watts	Lumens	Model / ID No.	UPC
	10.5 x 4.5 x 6	20	1600	B332HOSL20W50BR .3403655	8 59287 00650 8

Rechargeable LED Flood Light



Features

- Rechargeable li-ion battery
- Two brightness settings
- 180° Rotating handle
- USB charging port
- 2-5 Hour
- 3-5 Hour
- working time Includes charger

• 3.7V, 4400mAh

battery

• 3-5 Hour recharge time

Finishes







Finish	Dimensions (in)	Watts	Lumens	Model / ID No.	UPC
	5 x 6.5 x 2	10	500 Low 1000 High	B33WL10W .3441549	8 19030 02600 9

Fixture	Part Description	Model / ID No.	UPC
Transitional Indoor 5-Blade Ceiling Fan	Ceiling Fan Remote	B33CFR .3569898	8 10109 73638 6
	4" Rod	B33CFDRBN4 .3570758	8 10109 73685 0
Contemporary LED Mini Pendant	Pendant Replacement Glass	B33PRG .3430745	8 19030 02573 6
Contemporary Indoor LED Ceiling Fan	Replacement Light Kit	B33CFLK17W30BN .3492452	8 10018 12542 4
	Replacement Plastic Globe	B33CFLRG .3453090	8 19030 02692 4
	24" Extension Safety Cable	B3324CFESC .3464165	8 19030 02701 3
	6" Downrod	B33CFDRBN6 .3414271	8 19030 02382 4
	12" Downrod	B33CFDRBN12 .3414272	8 19030 02380 0
	24" Downrod	B33CFDRBN24 .3414273	8 19030 02381 7
Transitional 3-Lamp Integrated LED			
Vanity Light Transitional 4-Lamp Integrated LED Vanity Light	Vanity Light Replacement Glass	B33VRG .3414238	8 19030 02383 1 1
Traditional Integrated LED Flush Mount Fixture	11" Alabaster Replacement Glass	B3311ARG .3430726	8 19030 02570 5
	13" Alabaster Replacement Glass	B3313ARG .3430738	8 19030 02571 2
	15" Alabaster Replacement Glass	B3315ARG .3430742	8 19030 02572 9

BRIGHT33 WARRANTY

Bright33 Products LLC (Bright33) warrants to the Original Purchaser that its light emitting diode (LED) fixtures and lamps, including the LED arrays and the LED drivers and integral control devices, to be free from defects in material and workmanship under normal use and service. Should your Bright33 fixture or lamp prove to be defective in material or workmanship under normal use during the duration outlined below, effective from the original purchase date, Bright33 will replace defective unit as outlined below.

LED PRODUCT WARRANTY

If the product supplied by Bright33 fails due to defects in material or workmanship within the first five (5) years of purchase date by the Original Purchaser, Bright33 will replace the defective unit free of charge. This warranty covers defects in manufacturing discovered while using the product as recommended by the manufacturer.

INCANDESCENT PRODUCT WARRANTY

If the incandescent "socket" product supplied by Bright33 fails due to defects in material or workmanship within the first one (1) year of purchase date by the Original Purchaser, Bright33 will replace the defective unit free of charge. This warranty covers defects in manufacturing discovered while using the product as recommended by the manufacturer.

FIXTURE FINISH WARRANTY

The finish material is warranted for a period of one (1) year. This warranty covers defects in manufacturing discovered while using the product as recommended by the manufacturer.

WHAT IS NOT COVERED?

The warranty above does not cover, and Bright33 is not liable for, installation, any labor charges, damage resulting from acts of God, or products which have been damaged as a result of any accident, misuse (including use of the product for an unintended application, abuse, neglect, improper installation or maintenance, the use of abrasive or organic solvent cleaners, or modification).

Bright33 recommends using a professional electrician for all installation and repair of its products.

HOW TO OBTAIN WARRANTY SERVICE

Contact our Warranty Department at (740)-314-1269 to report the defect. Return failed product with proof of purchase, your name and address within thirty (30) days of failure to:

Bright33 Products LLC 2620 Ridgewood Rd Akron, OH 44313

LIMITATION OF LIABILITY

Bright33's liability on any claim of any kind including, without limitation, warranty, negligence, and/or breach of contract, shall in no case exceed the purchase price paid by the Customer. In no event shall Bright33 be liable for any special, incidental, consequential (including, without limitation, damage to property) or punitive damages, damages in the nature of penalties or similar or related damages of any kind.

DISCLAIMER OF WARRANTIES

Bright33 expressly disclaims all warranties, except as explicitly stated herein, to the fullest extent permitted by law, whether written, oral, expressed or implied, including any warranties of performance, merchantability, fitness for a particular purpose, and non-infringement. This disclaimer includes any oral warrants or representations made or implied by any agent, employee, subcontractor, manager, director and/or representative of Bright33.

bright33.com 31

